



**ON PREMISE
HARD MOUNT
WASHER-EXTRACTORS**



SCN020 WASHER-EXTRACTOR – SCN030 WASHER-EXTRACTOR – SCN040 WASHER-EXTRACTOR
SCN060 WASHER-EXTRACTOR – SCN080 WASHER-EXTRACTOR – SCN100 WASHER-EXTRACTOR



**ADVANCED INVERTER
DRIVE**



WATER GUARDIAN
PATENTED LEAK DETECTION

THE BEST IN CLASS JUST GOT BETTER

For more than a century, Speed Queen has been at the forefront of the industry, building our legacy by providing equipment that stands up to any commercial laundry challenge.

We make no compromises in performance and refuse to be outdone in reliability and efficiency. And our commitment to quality is only matched by our commitment to your success, delivering you the most profitable machines in the industry, bar none.

Unlike some competitors Speed Queen machines are built specifically for the commercial environment; we use metal where others use plastic and our world-class test lab rigorously pushes our products far beyond the conditions they'll face in the field.

For commercial laundry equipment designed for use in fire stations, aged care facilities, hotels, correctional facilities, spas, hair salons, sporting organisations or any other industry application, you can rely on the tried, tested and proven performance of Speed Queen, to make your life simpler and more productive.

Industry leading manufacturing in the USA and Europe, refined for more than a century and built to last, Speed Queen Laundry equipment represents a secure investment for your on-premise laundry facility.



MADE IN AMERICA, BUILT TO LAST SINCE 1908



**SUPER HIGH EXTRACTION
UP TO 200 G-FORCE**



DUAL TRIPLE LIP SEALS

DEDICATED TO A HIGHER STANDARD

Hardmount washer-extractors are the standard in industries such as hotels, healthcare facilities, and other typically ground-floor laundries. Secured to the concrete floor, they cost significantly less than their soft mounted counterparts and have a proven record of reliability with superior wash results.

Speed Queen delivers more than just clean results, with features designed to extend linen life, reduce water usage, utility costs and maximise productivity. Our heavy-duty construction provides reliable operation and guarantees your washer-extractor will be in service for years to come, while our G-force extraction removes more water from each load, reducing energy costs, shortening drying times and increasing productivity.



QUANTUM STANDARD OPL CONTROL



QUANTUM GOLD CONTROL

QUANTUM™ SYSTEM

The on-premises laundry business is changing. Managers today must be flexible in adapting quickly to changes to linen processing formulas, while keeping operating costs within budget. Features that a few years ago were considered luxuries are now essential components to doing business.

Speed Queen's cutting-edge Quantum System gives managers the power to respond instantly to changes in order to produce superior wash quality. Programming ease and user-friendly operation ensure our technology makes your life easier, not more complicated.

QUANTUM GOLD CONTROL

Quantum Gold offers operators the pinnacle in flexibility with a total of 30 programmable cycles and 30 programmable water levels. Managers can easily program their washer-extractors with the aid of a PC or they can network the machines and then connect through their site business network or cable direct from PC to the machine network. This port also is the manager's glimpse at the laundry operation as machine audit data can be downloaded to a PC. Machines can be networked to give maximum feedback and control to the operators

ADVANCED INVERTER DRIVE

This proprietary technology reduces vibrations providing smooth, reliable power and higher extraction speeds, reducing moisture retention and drying time saving 33% on electricity versus some competitor models.

SUMP SYSTEM DESIGN

Uses 11% less water, whilst maximising cleaning power.

FASTER EXTRACTION SPEED

We offer a choice of different G-force rated machines depending on the requirements in each application. New technology on Quantum Gold machines offer a range of spin speeds up to 200 G-force extraction to remove more water, leading to shorter dry times and lower energy bills.





LEAK DETECTION

Patented Water Guardian saves water by detecting slow leaking fill-valves and drains. Early detection means less costly interventions and a reduction in the risk associated with water leaks.

FOUR-COMPARTMENT CHEMICAL DISPENSER

Fully programmable, self-cleaning four-compartment dispenser automatically dispenses detergent or fabric softener at appropriate times in the wash cycle. Plus multiple external supply signals are included.

DOOR OPENING

The large door opening makes loading and unloading fast and easy, and the heavy-duty stainless steel door features vacuum tight sealing to keep water inside the machine where it belongs. The door lock, as well as the heat-treated, shatter-proof circular door glass, helps operators safely view the wash process.

DUAL TRIPLE LIP SEALS

Bearings are perhaps the most important part on a washer-extractor and Speed Queen gives them the ultimate in protection with a triple lip seal. Add to the equation a stainless steel sleeve around our heavy-duty trunnion shaft and your washer-extractor is ready for years of worry-free performance.

WARRANTY

Speed Queen's commitment to customers comes with an industry-leading warranty, which starts with a three-year limited parts warranty. We also place a 10-year bearing & shaft warranty on key components such as the frame, cylinder and seals. To us, building the best machines on the market doesn't mean much if we're not willing to also take the lead in standing behind them. As a Speed Queen customer, you'll never have to worry about our bond.

SPECIFICATIONS

	SCN020	SCN030	SCN040
MEASUREMENTS			
CAPACITY	20 lb / 9 kg	30 lb / 14 kg	40 lb / 18 kg
DIMENSIONS (H X W X D)	1092 x 660 x 784 mm	1143 x 737 x 896 mm	1199 x 778 x 1073 mm
SHIPPING WEIGHT (APPROX)	166 kg	225 kg	268 kg
DRUM CAPACITY	78 litres	118 litres	180 litres
DOOR OPENING	295 mm	364 mm	413 mm
MATERIALS			
OUTER DRAIN TUB	Stainless	Stainless	Stainless
CABINET - OPTIONS	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back
WASH TUB			
CYLINDER	Stainless	Stainless	Stainless
WASHER DOOR HINGE	Steel	Steel	Steel
STAINLESS STEEL BAFFLES (NUMBER)	3	3	3
POWER			
ELECTRICAL REQUIREMENTS (WITHOUT HEATER)	240/50/1	240/50/1	415/50/3
ELECTRICAL REQUIREMENTS (WITH HEATER)	415/50/3 option	415/50/3 option	415/50/3
BREAKER SIZE (WITHOUT HEATER)	10	10	10
FULL LOAD AMPS (WITHOUT HEATER)	4	4	4
BREAKER SIZE (WITH HEATER)	15	15	30
FULL LOAD AMPS (WITHOUT HEATER) 415/50/3	2	3	3
FULL LOAD AMPS (WITH HEATER) 415/50/3	13	13	25
HEATING ELEMENT KW	7.8 kW	7.8 kW	15.5 kW
MOTOR HORSEPOWER	1	2	2
MOTOR SPEEDS (VARIABLE BASED ON OPTIONS)	6, 9	6, 9	6, 9
OPERATION			
SPIN SPEED	819	766	733
G FORCE VARIABLE BETWEEN 100G AND 200G	Depends on application	Depends on application	Depends on application
WATER TEMPERATURE SELECTIONS	Programmable	Programmable	Programmable
WASH CYCLES - VARIABLE	up to 30	up to 30	up to 30
VARIABLE SPEED INDUCTION MOTOR	Yes	Yes	Yes
EXTRA RINSE OPTION	Yes	Yes	Yes
CYCLE INDICATOR LIGHT	Yes	Yes	Yes
VARIABLE WATER LEVEL	30 Programmable	30 Programmable	30 Programmable
4 COMPARTMENT SOLUTION DISPENSER	Yes	Yes	Yes
EXTERNAL CHEMICAL SUPPLY	Yes	Yes	Yes
BLEACH DISPENSER	Yes	Yes	Yes
FABRIC SOFTENER DISPENSER	Yes	Yes	Yes
DRAIN TYPE	Gravity	Gravity	Gravity
WATER CONNECTIONS	2 x 19 mm	2 x 19 mm	2 x 19 mm
DRAIN DIAMETER	51 mm	51 mm	51 mm
APPEARANCE			
FINISH	Stainless Steel	Stainless Steel	Stainless Steel
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
LOCATION OF CONTROLS	Front	Front	Front



MADE IN AMERICA, BUILT TO LAST SINCE 1908

SPECIFICATIONS

	SCN060	SCN080	SCN100
MEASUREMENTS			
CAPACITY	60 lb / 27 kg	80 lb / 36 kg	100 lb / 45 kg
DIMENSIONS (H X W X D)	1267 x 865 x 1135 mm	1427 x 1054 x 1234 mm	1427 x 1054 x 1336 mm
SHIPPING WEIGHT (APPROX)	338 kg	572 kg	594 kg
DRUM CAPACITY	255 litres	327 litres	434 litres
DOOR OPENING	413 mm	470 mm	470 mm
MATERIALS			
OUTER DRAIN TUB	Stainless	Stainless	Stainless
CABINET - OPTIONS	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back	Stainless Front, Skin Plate Side or Stainless Sides and Galvanised Back
WASH TUB			
CYLINDER	Stainless	Stainless	Stainless
WASHER DOOR HINGE	Steel	Steel	Steel
STAINLESS STEEL BAFFLES (NUMBER)	3	4	4
POWER			
ELECTRICAL REQUIREMENTS (WITHOUT HEATER)	415/50/3	415/50/3	415/50/3
ELECTRICAL REQUIREMENTS (WITH HEATER)	415/50/3	415/50/3	415/50/3
BREAKER SIZE (WITHOUT HEATER)	10	15	15
FULL LOAD AMPS (WITHOUT HEATER)	6	8	10
BREAKER SIZE (WITH HEATER)	30	40	40
FULL LOAD AMPS (WITHOUT HEATER) 415/50/3	4	5	6
FULL LOAD AMPS (WITH HEATER) 415/50/3	25	33	34
HEATING ELEMENT KW	15.5 kW	24 kW	24 kW
MOTOR HORSEPOWER	3	5	5
MOTOR SPEEDS (VARIABLE BASED ON OPTIONS)	6,9	6,9	6,9
OPERATION			
SPIN SPEED	686	626	568
G FORCE VARIABLE BETWEEN 100G AND 200G	Depends on application	Depends on application	Depends on application
WATER TEMPERATURE SELECTIONS	Programmable	Programmable	Programmable
WASH CYCLES - VARIABLE	up to 30	up to 30	up to 30
VARIABLE SPEED INDUCTION MOTOR	Yes	Yes	Yes
EXTRA RINSE OPTION	Yes	Yes	Yes
CYCLE INDICATOR LIGHT	Yes	Yes	Yes
VARIABLE WATER LEVEL	30 Programmable	30 Programmable	30 Programmable
4 COMPARTMENT SOLUTION DISPENSER	Yes	Yes	Yes
EXTERNAL CHEMICAL SUPPLY	Yes	Yes	Yes
BLEACH DISPENSER	Yes	Yes	Yes
FABRIC SOFTENER DISPENSER	Yes	Yes	Yes
DRAIN TYPE	Gravity	Gravity	Gravity
WATER CONNECTIONS	2 x 19 mm	2 x 19 mm	2 x 19 mm
DRAIN DIAMETER	51 mm	51 mm	51 mm
APPEARANCE			
FINISH	Stainless Steel	Stainless Steel	Stainless Steel
COLOUR	Stainless Steel	Stainless Steel	Stainless Steel
LOCATION OF CONTROLS	Front	Front	Front

VIC, SA, TAS & NT

SPEED QUEEN EQUIPMENT SALES
26 THEOBALD STREET, THORNBURY, VIC 3071
TELEPHONE (03) 9495 1300
WWW.SPEEDQUEENSALES.COM.AU
EMAIL SALES@SPEEDQUEENSALES.COM.AU

