

PROVEN PERFORMER

On-Premises Tumble Dryers

SA075NNN-R

(CARE&O.P.T.)

Features

- Large door opening for easy loading and unloading
 - extra strong hinge and reversible door
- Galvanized drum oval drum holes preventing damage from standard drywall screws
- Unique drum supporting system
 - at the rear: bearings
- · Radial airflow
 - drum perforations over the entire surface
 - high production
 - pulley drive system
- Large lint filter easy removal of lint, efficient drying, self cleaning filter
- · Digital display and countdown
- Quantum[™] Gold Control
 - easy to operate, easy to program
 - flexibility of 30 programmable cycles
 - moisture sensing technology prevents overdrying, saving time and energy



EASY OPERATION



LARGE DOOR OPENING



LOW ENERGY CONSUMPTION



HIGH

Options

- · Stainless steel front and drum
- Reversing: prevents tangling of the linen
- C.A.R.E. Combustion Auto Response Equipped
 - a response to laundry combustion
 - prevents early laundry fire by constantly monitoring the temperature in the drum
 - in case of excessive temperature, linen is sprayed with water

*only for OPL models with gas or steam heating



Quantum[™] Gold Control

SA075NNN-R

Options

- · O.P.T. Over-Dry Prevention Technology
 - revolutionary rotary transfer switch enables the system to sense dryness levels thousands of times per second for ultra-acurate readings
 - sensing surface models offer up to 267 times more surface area for sensing than competitors
 - industry exclusive rotary transfer switch doesn't require brushes or hard contact, giving maintenance-free, reliable performance
 - dryer stops automatically when desired dryness level is reached, preventing staff from making educated guesses
 - step-dry enables the use of heat until the load is half dry, then lowering the temperature for the remainder of the cycle until the specified dryness level is reached
 - dryness level settings ranging from 0 to 40 percent allows you to design each cycle according to your specifc needs







SA075
Capacity 20:1 kg 34.0 Volume I 634 Cylinder diameter mm 939 Motor
Volume I 634 Cylinder diameter mm 939 Motor
Volume I 634 Cylinder diameter mm 939 Motor
Motor
Fan kW (non-rev/rev) 0.56/0.25 Drive kW (non-rev/rev) 0.56/0.25 Programmer Type of control Quantum Gold Cabinet White, option stainless steel
Drive kW (non-rev/rev) 0.56/0.25 Programmer Uguantum Gold Cabinet White, option stainless steel
Programmer Type of control Quantum Gold Cabinet Colour White, option stainless steel
Type of control Quantum Gold Cabinet Colour White, option stainless steel
Cabinet Colour White, option stainless steel
Colour White, option stainless steel
Drum Galvanized, option stainless steel
Dryer door handle Black plastic
Heating
Gas 174 MJ/hr
Electric 36 kW
Steam @ 100psi (6.9 bar) 6.1 BHP (61.6 kW)
Steam @ 15 psi (1.0 bar) 4.1 BHP (41.2 kW)
Connection
Gas and Steam Non Rev Amps, (Rev Amps)
240/50/1 2W+G 6.7, (7.0)
Electric
415/50/3 3W+G AMPS 70 (Circuit Breaker)
Recommended C/B 60
Make up air supply 929 cm ²
Air outlet diameter mm 203
Steam inlet (NPT) 19mm
Steam Outlet (NPT) 19mm
Gas inlet (NPT) 12mm
Operation
Decibel Rating 65 dBA
Drying cycles 30
Transport data Transport data
Gross weight kg 307
Net weight kg 279
Dimensions H×W×D mm 1946×981×1378
Packaging dimension H×W×D mm 2057×1054×1433
Volume m³ 3.1
Agency approvals
Australian gas approval # 4944
CE approval Yes

 $^{^{\}star\star}$ Official diagram may vary from these references - refer to current installation guides prior to commencing any construction works.
































Dimensions

		A	В	С	D	E
SA	A075	860	781	1378	1946 (Gas/Elec) 2032 (Steam)	981
				depth	heiaht	width

All measurements are in mm.



^{*} Fire suppression system optional - may not be on machine.



Easy Operation



Large Door Opening



Low Energy Consumption



High Output





























 $^{^{\}star\star}$ Official diagram may vary from these references - refer to current installation guides prior to commencing any construction works.





Speed Queen Equipment Sales. 26 Theobald Street, Thornbury, Vic 3071

Ph: (03) 9495 1300 Fax: (03) 9495 1600

W: www.speedqueensales.com.au E: sales@speedqueensales.com.au

Servicing Victoria, Tasmania.

The content of this brochure (including, without limitation, any analysis forming part of it) is general information, for personal use only and should not be relied upon for investment purposes. This brochure provides information based on subjective assumptions and does not provide actual or expected returns, which may in practice be lower than those stated in the brochure. You should obtain independent financial advice prior to making any decision to invest in, or with, Alliance Laundry Systems LLC. To the extent permitted by law, we do not accept any liability (whether in contract, tort, negligence or otherwise and howsoever arising), nor owe any duty of care to you, for any consequences of your acting (or refraining from acting) in reliance on the contents of this brochure. If you enter into a contract with us, we will require that you irrevocably waive your rights to bring a claim against us for acting in reliance on the content of this brochure. E&OE